






KV 440 UPVC-ALUMINIUM-COMPOSITE WINDOW





CHARACTERISTICS

 **Thermal insulation** (in W/m^2K)
 U_w up to 0,64


 **Sound reduction** (in dB)
up to 39 - 45

 **Security**
up to RC 2

 **Locking**
fully concealed

 **Installation Depth** (in mm)
93

- I-tec Glazing**
- I-tec Shading**
- I-tec Insulation**
- I-tec Connect**




The flush transition between the rounded frame and sash creates an elegant, traditional look. Venetian or Roman blinds, or the black-out Duette® blinds, are integrated between the accessible panes and therefore protected from the weather and dirt. I-tec Shading with photovoltaic module and battery is completely energy self-sufficient and therefore requires no additional external power source.




Cuts


Senkrecht / Vertical



Waagrecht / Horizontal



Stulp / Flying mullion



BM Bestellmaß / Ordering size
 FM G Flügelmaß Gehflügel / Sash size master sash
 FM S Flügelmaß Stehflügel / Sash size slave sash
 FOK Fußbodenoberkante / Finished floor level

GM Glasmaß / Glass size
 RA Rahmenaußenmaß / Outside frame size
 TM Teilungsmaß / Division size

Values

Glass Build Up	GC	Coating	AH	U _g	g	U _f	Psi	U _w	R _w	C	Ctr	Certificate - Thermal Performance	Certificate - Sound
6 // 6/18Ar/b4	2KU	Low-Carbon iplus	Iso	1,1	-	0,95	0,024	0,98	42	-3	-9	✓	✓
			Alu	1,1	-	0,95	0,041	1,0	42	-3	-9	✓	✓
6 // 3bESG/12Ar/3/14Ar/b4	3AD	Low-Carbon iplus	Iso	0,7	-	1,0	0,018	0,77	43	-2	-8	✓	✓
			Alu	0,7	-	1,0	0,037	0,82	43	-2	-8	✓	✓
6 // 3bESG/12Kr/3/14Kr/b4	3AE	Low-Carbon iplus	Iso	0,5	-	1,0	0,018	0,70	43	-2	-8	✓	✓
			Alu	0,5	-	1,0	0,037	0,75	43	-2	-8	✓	✓
4 // 6/18Ar/b4	2KU	Low-Carbon iplus	Iso	1,1	-	0,95	0,024	0,98	40	-2	-7	✓	✓
			Alu	1,1	-	0,95	0,041	1,0	40	-2	-7	✓	✓
4 // 3bESG/12Ar/3/14Ar/b4	3AD	Low-Carbon iplus	Iso	0,7	-	1,0	0,018	0,77	41	-3	-9	✓	✓
			Alu	0,7	-	1,0	0,037	0,82	41	-3	-9	✓	✓
4 // 3bESG/12Kr/3/14Kr/b4	3AE	Low-Carbon iplus	Iso	0,5	-	1,0	0,018	0,70	41	-3	-9	✓	✓
			Alu	0,5	-	1,0	0,037	0,75	41	-3	-9	✓	✓

**ECLAZ®** – Enjoy the many benefits of the Internorm **ECLAZ® Premium Coating****More light & transparency**

- The special coating allows more daylight to enter the interior, therefore making it brighter and friendlier.
- Enjoy a clearer view of the outside. The external reflection or mirror effect is also low and the glass is colour-neutral from the outside.

Improved health & productivity

- ECLAZ® helps to regulate your inner balance. Blue light from the sun helps to regulate your natural sleep and wake cycle, elevate moods and increase the feeling of well being.

Increased happiness & well-being

- Daylight has a balanced light spectrum and regulates the serotonin balance, which is responsible for well-being and life energy. Halogen bulbs, fluorescent tubes and LEDs lack these important light frequencies. ECLAZ® floods the house with daylight.

- 77% more light transmission of triple glazing with ECLAZ® helps to boost health and well-being, especially in the darker autumn and winter months.

Better energy efficiency & higher cost savings

- Less heat loss: ECLAZ® provides excellent thermal insulation, therefore reducing heating costs.
- Greater energy savings: 60% improvement in solar gain with triple glazing resulting in lower heating costs and higher energy efficiency.

Get more as standard

- ECLAZ® is fitted as standard in every Internorm window.
- No additional costs. You enjoy the benefits of this premium glass coating without having to pay more.



KV 440 UPVC-ALUMINIUM-COMPOSITE WINDOW



CHARACTERISTICS



Thermal insulation (in W/m^2K)
 U_w up to 0,64



Sound reduction (in dB)
up to 39 - 45



Security
up to RC 2



Locking
fully concealed




Installation Depth (in mm)
93

I-tec Glazing

I-tec Shading

I-tec Insulation

I-tec Connect




Light despite sun protection? This is no contradiction with the KV 440. With this flush window, the sun and privacy protection is already installed between the accessible panes and offers optimum thermal and sound insulation values in just one window. In addition to Venetian or Roman blinds, the black-out Duette® blind offers absolute privacy. Using a photovoltaic module and battery, I-tec Shading can be controlled without an additional external power source.




Cuts


Senkrecht / Vertical



Waagrecht / Horizontal



Stulp / Flying mullion



BM Bestellmaß / Ordering size
 FM G Flügelmaß Gehflügel / Sash size master sash
 FM S Flügelmaß Stehflügel / Sash size slave sash
 FOK Fußbodenoberkante / Finished floor level

GM Glasmaß / Glass size
 RA Rahmenaußenmaß / Outside frame size
 TM Teilungsmaß / Division size

Values

Glass Build Up	GC	Coating	AH	U _g	g	U _f	Psi	U _w	R _w	C	Ctr	Certificate - Thermal Performance	Certificate - Sound
6 // 6/18Ar/b4	2KU	Low-Carbon iplus	Iso	1,1	-	0,95	0,024	0,98	42	-4	-9	✓	✓
			Alu	1,1	-	0,95	0,041	1,0	42	-4	-9	✓	✓
4 // 6/18Ar/b4	2KU	Low-Carbon iplus	Iso	1,1	-	0,95	0,024	0,98	40	-3	-7	✓	✓
			Alu	1,1	-	0,95	0,041	1,0	40	-3	-7	✓	✓
4 // 3bESG/12Ar/3/14Ar/b4	3AD	Low-Carbon iplus	Iso	0,7	-	1,0	0,018	0,77	41	-4	-9	✓	✓
			Alu	0,7	-	1,0	0,037	0,82	41	-4	-9	✓	✓
6 // 3bESG/12Ar/3/14Ar/b4	3AD	Low-Carbon iplus	Iso	0,7	-	1,0	0,018	0,77	43	-3	-8	✓	✓
			Alu	0,7	-	1,0	0,037	0,82	43	-3	-8	✓	✓
4 // 3bESG/12Kr/3/14Kr/b4	3AE	Low-Carbon iplus	Iso	0,5	-	1,0	0,018	0,70	41	-4	-9	✓	✓
			Alu	0,5	-	1,0	0,037	0,75	41	-4	-9	✓	✓
6 // 3bESG/12Kr/3/14Kr/b4	3AE	Low-Carbon iplus	Iso	0,5	-	1,0	0,018	0,70	43	-3	-8	✓	✓
			Alu	0,5	-	1,0	0,037	0,75	43	-3	-8	✓	✓

**ECLAZ®** – Enjoy the many benefits of the Internorm **ECLAZ® Premium Coating****More light & transparency**

- The special coating allows more daylight to enter the interior, therefore making it brighter and friendlier.
- Enjoy a clearer view of the outside. The external reflection or mirror effect is also low and the glass is colour-neutral from the outside.

Improved health & productivity

- ECLAZ® helps to regulate your inner balance. Blue light from the sun helps to regulate your natural sleep and wake cycle, elevate moods and increase the feeling of well being.

Increased happiness & well-being

- Daylight has a balanced light spectrum and regulates the serotonin balance, which is responsible for well-being and life energy. Halogen bulbs, fluorescent tubes and LEDs lack these important light frequencies. ECLAZ® floods the house with daylight.

- 77% more light transmission of triple glazing with ECLAZ® helps to boost health and well-being, especially in the darker autumn and winter months.

Better energy efficiency & higher cost savings

- Less heat loss: ECLAZ® provides excellent thermal insulation, therefore reducing heating costs.
- Greater energy savings: 60% improvement in solar gain with triple glazing resulting in lower heating costs and higher energy efficiency.

Get more as standard

- ECLAZ® is fitted as standard in every Internorm window.
- No additional costs. You enjoy the benefits of this premium glass coating without having to pay more.



KV 440 UPVC-ALUMINIUM-COMPOSITE WINDOW



CHARACTERISTICS



Thermal insulation (in W/m^2K)
 U_w up to 0,64



Sound reduction (in dB)
up to 39 - 45



Security
up to RC 2




Locking
fully concealed



Installation Depth (in mm)
93


- I-tec Glazing**
- I-tec Shading**
- I-tec Insulation**
- I-tec Connect**




The flush transition between frame and sash, combined with the integrated sun and privacy protection unites KV 440 into a single unit. Venetian, Roman or the black-out Duettes® blinds are integrated between accessible panes and therefore protected from dirt. With perfect sun, privacy, heat and sound insulation, you can enjoy quadruple protection in just one window. Using a photovoltaic module and battery, I-tec Shading can be controlled without an additional external power source.

Cuts


Senkrecht / Vertical



Waagrecht / Horizontal



Stulp / Flying mullion



BM Bestellmaß / Ordering size
FM G Flügelmaß Gehflügel / Sash size master sash
FM S Flügelmaß Stehflügel / Sash size slave sash
FOK Fußbodenoberkante / Finished floor level

GM Glasmaß / Glass size
RA Rahmenaußenmaß / Outside frame size
TM Teilungsmaß / Division size

Values

Glass Build Up	GC	Coating	AH	U _g	g	U _f	Psi	U _w	R _w	C	Ctr	Certificate - Thermal Performance	Certificate - Sound
6 // 6/18Ar/b4	2KU	Low-Carbon iplus	Iso	1,1	-	0,95	0,024	0,98	42	-4	-9	✓	✓
			Alu	1,1	-	0,95	0,041	1,0	42	-4	-9	✓	✓
4 // 6/18Ar/b4	2KU	Low-Carbon iplus	Iso	1,1	-	0,95	0,024	0,98	40	-3	-7	✓	✓
			Alu	1,1	-	0,95	0,041	1,0	40	-3	-7	✓	✓
4 // 3bESG/12Ar/3/14Ar/b4	3AD	Low-Carbon iplus	Iso	0,7	-	1,0	0,018	0,77	41	-4	-9	✓	✓
			Alu	0,7	-	1,0	0,037	0,82	41	-4	-9	✓	✓
6 // 3bESG/12Ar/3/14Ar/b4	3AD	Low-Carbon iplus	Iso	0,7	-	1,0	0,018	0,77	43	-3	-8	✓	✓
			Alu	0,7	-	1,0	0,037	0,82	43	-3	-8	✓	✓
4 // 3bESG/12Kr/3/14Kr/b4	3AE	Low-Carbon iplus	Iso	0,5	-	1,0	0,018	0,70	41	-4	-9	✓	✓
			Alu	0,5	-	1,0	0,037	0,75	41	-4	-9	✓	✓
6 // 3bESG/12Kr/3/14Kr/b4	3AE	Low-Carbon iplus	Iso	0,5	-	1,0	0,018	0,70	43	-3	-8	✓	✓
			Alu	0,5	-	1,0	0,037	0,75	43	-3	-8	✓	✓

**ECLAZ®** – Enjoy the many benefits of the Internorm **ECLAZ® Premium Coating****More light & transparency**

- The special coating allows more daylight to enter the interior, therefore making it brighter and friendlier.
- Enjoy a clearer view of the outside. The external reflection or mirror effect is also low and the glass is colour-neutral from the outside.

Improved health & productivity

- ECLAZ® helps to regulate your inner balance. Blue light from the sun helps to regulate your natural sleep and wake cycle, elevate moods and increase the feeling of well being.

Increased happiness & well-being

- Daylight has a balanced light spectrum and regulates the serotonin balance, which is responsible for well-being and life energy. Halogen bulbs, fluorescent tubes and LEDs lack these important light frequencies. ECLAZ® floods the house with daylight.

- 77% more light transmission of triple glazing with ECLAZ® helps to boost health and well-being, especially in the darker autumn and winter months.

Better energy efficiency & higher cost savings

- Less heat loss: ECLAZ® provides excellent thermal insulation, therefore reducing heating costs.
- Greater energy savings: 60% improvement in solar gain with triple glazing resulting in lower heating costs and higher energy efficiency.

Get more as standard

- ECLAZ® is fitted as standard in every Internorm window.
- No additional costs. You enjoy the benefits of this premium glass coating without having to pay more.